

Project Name	BMDA Inpatient Chemotherapy Regimen
Module Description/ Name	1 Module with 3 Sections
Design Guide Link	
Visual Storyboard Link	

Learning Objectives

Participants will be able to demonstrate adding a diagnosis from the ADD+ Orders window within PowerChart

Participants will be able to demonstrate selection of a chemotherapy regimen from the appropriate folder within

Participants will be able to explain the appropriate timing for STARTing and/or SKIPping a cycle within the reg

Participants will be able to demonstrate “ACCEPTING/REJECTING/MODIFYING” proposed chemotherapy reg

Lesson (Bow-Tie) Introduction

Slide #	Slide Title	Narration Script
BTI 1	Introduction	Audio Play Burst
BTI 2	Player Navigation Guide A	Let's review some of the navigation controls on eLearning Player that you will use to help you proceed through the content in this course.
BTI 3	Player Navigation Guide B	
BIT 4	Player Navigation Guide C	There are also player tool options you can access at anytime during this eLearning course that will guide you with additional information.

BTI 5	Lesson Objectives	<p>Welcome to the Inpatient Chemotherapy Regimen E-Learning.</p> <p>In this lesson ,participants will be able to demonstrate adding a diagnosis from the Add Orders window within PowerChart.</p> <p>Select a chemotherapy regimen from the appropriate folder within the Add Orders window</p> <p>Explain the appropriate timing for Starting and/ Skipping a cycle within the regimen</p> <p>Endorse proposed chemotherapy regimen orders from the message center inbox</p>
BTI 6	Learning Process	<p>This E-Learning will allow you to achieve mastery of the objectives stated as you follow along with the demonstration.</p> <p>We will work together as I instruct you where to click and I will assist you along the way.</p> <p>You will also have the opportunity to interact with hands on practice as we navigate through the course.</p>
BTI 7	Scenario Description	<p>Dr. Anderson is seeing his patient today in his office. Given the patient’s condition, he decides to direct admit to the Baptist Jax campus. He wants to place orders for a chemotherapy regimen, but is not sure how to enter it into the Baptist EMR system. Let us walk him through the steps to complete this task.</p>

Landing Pad

Slide #	Slide Title	Narration Script
NM	Navigation Menu	Let's explore three steps of conducting an Inpatient Regimen in Power Chart. Click on the Selecting a Regimen button to begin.

Section 1: Selecting Chemotherapy Regimen

Slide #	Slide Title	Narration Script
1.1 BT	Selecting Chemotherapy Regimens	In this part of the lesson, we will cover the physician workflow in selecting Chemotherapy Regimens.
1.2 BT	Back Pocket Knowledge	<p>It is important to note that selected regimens must have an appropriate diagnosis associated with them at time of ordering.</p> <p>This is a safety measure to ensure the patient receives the appropriate regimen.</p>
1.3	Access Orders	<p>With the patient's chart already open, we will first need to access the Add orders window.</p> <p>This is done by selecting the add button next to Add order on the menu.</p> <p>Click the +Add</p>

1.4	Add Diagnosis	<p>Once the Add Orders window opens, notice the Diagnosis and Problems box on the left</p> <p>and the Order Catalog search window on the right.</p> <p>It is best practice to first enter your diagnosis before selecting the regimen order.</p>
1.5	Enter Orders	<p>It is best practice to first enter your diagnosis before selecting the regimen order.</p> <p>In the SNO MED CT Box, type "Bladder-Can" and press enter.</p>
1.6	Selecting Diagnosis	<p>Notice how the box populates with available diagnosis as you type your desired diagnosis.</p> <p>Double click on "Bladder Cancer (C67.9)" to populate it in the diagnosis box.</p>

1.7	Diagnosis Selected	<p>Once returned to the Order window, the user will see the newly added diagnosis is displayed in the diagnosis box.</p> <p>The newly added diagnosis will have a blue check mark to indicate it should be associated with the regimen being ordered at this time.</p> <p>Additionally, a number “1” will appear to indicate this is the primary diagnosis to be associated with the regimen.</p> <p>If desired, the physician may repeat the Add Diagnosis process to add additional diagnoses and indicate which is primary, which is secondary, and so on.</p>
1.8	Search for Regimen	<p>You now have a display of all of the available GU oncology regimens.</p> <p>Dr. Anderson wants to order the GU ONCIP Bleomycin Etoposide Cisplatin regimen.</p> <p>Single-click to select this regimen.</p>
1.9	Select Preferred Regimen	<p>There are also player tool options you can access at anytime during this eLearning course that will guide you with additional information. If you need additional descriptions about specific icons or buttons you will see in this course, please refer to the eLearning Course Navigation Guide.</p>
_1.10	BP Regimen Icon Reminder	<p>As a reminder, Regimens can be easily identified by the following icon located to the left side of the regimen’s name.</p>

1.11	Regimen Attribute Box	Selecting the regimen will prompt the "Regimens Attribute Box." The Intent of Therapy is a required field that must be completed. To select from the available options. Click the "Drop Down".
1.12	Intent of Therapy Box	<p>You must now select one of the four available options: Neo-Adjuvant, Adjuvant, Curative, and Advance/Palliative.</p> <p>In this case we will choose Neo-Adjuvant. Single-click on "Neo-Adjuvant" to select it.</p>
1.13	Line of Therapy	The line of therapy is not a required field, but it can be completed if desired. Click the drop down to select from the available options.
1.14	Treatment Options	<p>This is where you will choose one of the five available options: First, Second, Third, Fourth, Greater than or equal to Fifth.</p> <p>Single-click to select "First"</p>
1.15	Treatment Start	<p>The last section that can be completed is the Treatment Start Date. Leaving the time criteria blank will automatically default to the current date and time.</p> <p>Let's leave this section blank and click "OK."</p>
1.16 BT	Regimen Completed	Click "Done" to close the add order window.
1.17 BT	Section Completion	This completes the section for selecting Chemotherapy Regimens.

Landing Pad		
--------------------	--	--

Slide #	Slide Title	Narration Script
NM	Navigation Menu	Let's explore three steps of conducting an Inpatient Regimen in Power Chart. Click on the Selecting a Regimen button to begin.

Section 2 Ordering Chemotherapy Regimen		
--	--	--

Slide #	Slide Title	Narration Script
2.1 BT	Section Overview	In this part of the lesson, we will cover the physician workflow in ordering chemotherapy regimens; in addition to starting and skipping cycles within the regimen.
2.2 BT	Scenario Description	Now that Dr. Anderson has selected his desired regimen order, he wants to skip the pre-admission testing and begin the pre-treatment phase. Let's assist him in completing this task.

2.3	Skip Pre-Admission Testing	<p>Once the Regimen is selected, it is displayed as a “Pending” status on the left view pane. The Regimen cycles are displayed on the right.</p> <p>In this instance, there is a Pre-Admission Cycle, a Pre-Treatment Cycle, and a Treatment Cycle.</p> <p>Since Dr. Anderson is currently seeing his patient in his office and placing his orders before the patient arrives to the Baptist Jax campus, he wants to skip the Pre-Admission Cycle. Click “Skip”</p>
2.4	Reason for Skipping	<p>Skipping a stage will prompt you to list a reason. To display the list of reasons, click the drop down to display the list of reasons.</p>
2.5	Skip Reasons	<p>Select “MD Request”</p>
2.6	Complete Skip	<p>Click Okay</p>
2.7	Start Pre-Treatment Phase	<p>Once the Skip Reason is selected, the order window will show the Regimen with the Pre-Admission Cycle dithered and the previously selected skip reason of “MD Request” will be displayed.</p> <p>The next stage is the Pre-Treatment Cycle, which Dr. Anderson wishes to begin. Click “Start”</p>

2.8	Document Phase Action Time	<p>Choosing to start the Pre-Treatment phase will prompt the “Add Plan” action window. This is where Dr. Anderson will confirm the date.</p> <p>As this cycle is being planned for a future date, the date and time defaults to Today and Now and the “Action” defaults to “Order for future visit”. These pre-sets should be maintained, so let’s click “OK”.</p> <p>Click “Okay”</p>
2.9	Related Results	<p>Once returned to the order window, note that “Related Results” opens in the left window.</p> <p>These results have been identified to be related to the orders being considered in the selected cycle.</p> <p>If any of the results are available in the Baptist EMR, the results and the date/time resulted will display.</p> <p>This will assist your decision making regarding the need for additional orders and appropriateness of treatment</p>
2.10	Access Central Line Modification	<p>You will also want to review the orders and make any desired adjustments. Let's add the Access Central line order. Click the left check box next to Access Central Line.</p>
2.11	Adjust Central Line	<p>Any order with a blue ball and white X has a missing required detailed. To address the required details, right click on the "Central Line Order".</p>

2.12	Modify Central Line	Now click "Modify".
2.13	Order Details Adjustment	The order details window will appear below. In this case, detail values are needed for Central Venous Access Devices. Let's select "Implanted Device-Single Port."
2.14	Close Details for Access Line	To close the Order Details window, click on the down arrow.
2.15	Gen Allergic Reaction/Decentralization Modifica	GEN Allergic Reaction/Desensitization also has a missing required detail. Click on the subphase order to open it.
2.16	Hold Medication	Right click on Hold Medication.
2.17	Modify Medication	Now click "Modify".
2.18	Enter Chemotherapy	Let's enter Chemotherapy in the detail values box for Medications to Hold. Type "Chemotherapy" and press enter.

2.19	Hold Next Dose Details	Now let's address the next required field in the Order Details box. Click "Hold Next Dose Detail".
2.20	Other Details	Click "Other (specify in Special Instructions)"
2.21	Close Hold Medication Details	Close the Hold Modification Details by clicking on the down arrow
2.22	Return to Pre-Treatment Order	<p>For the purpose of this training the regimen orders have been scrolled down to the bottom to show the Return to Pre-Treatment location.</p> <p>To return to the Pre-Treatment order, click "Return to Pre-Treatment".</p>
2.23	Orders For Signature	<p>Now that the orders have been reviewed and modified, it's time to sign and send the regimen to the pharmacy.</p> <p>Click "Orders For Signature"</p>
2.24	Missing Documentation	<p>Orders cannot be placed on patients with missing allergy documentation.</p> <p>Should you receive this message, click "Allergy Form".</p>
2.25	Height/ Weight	<p>The Ad Hoc form will prompt allowing you to document the height, weight and patient allergies.</p> <p>Since this is the first time a height and weight is documented for the patient, let's click "initial" in the Height/Weight Results section.</p>
2.26	Height/ Weight Demonstration	Now watch as I enter the height and weight of the patient.
2.27	Allergies	<p>Next we will need to enter the allergies.</p> <p>The patient reports no known allergies to Dr. Anderson, so let's select the "No Known Allergies" choice.</p>

2.28	Allergies	On the allergies pop up window, click "OK"
2.29	Chart Height/Weight/Allergies	Now that the patient's height, weight and allergies have been entered, click the "Green Check Mark" in the top left corner to chart your entries.
2.30	Close Message	To close the Discern message, click "OK".
2.31	Sign	Now, click Sign
2.32	Refresh	To update the order, click Refresh.
2.33 BT	Pharmacist Review	<p>The regimen order has now been submitted to the pharmacist who will review and titrate the orders.</p> <p>When complete, the pharmacist will send the order back to Dr Anderson for signature via the message center.</p> <p>We will discuss this in the next lesson.</p> <p>This completes the section for ordering Chemo Regimens.</p> <p>Click the return button to move forward with the lesson.</p>

Landing Pad

Slide #	Slide Title	Narration Script
NM	Navigation Menu	Let's explore three steps of conducting an Inpatient Regimen in Power Chart. Click on the Selecting a Regimen button to begin.

Section 3 Proposed Orders

Slide #	Slide Title	Narration Script
3.1 BT	Proposed Orders Section Overview	In this part of the lesson, we will cover the physician workflow in proposing orders of the chemotherapy Regimen.
3.2 BT	Scenario Description	Now that the pharmacist has reviewed and started the treatment cycle, a proposed order is pending endorsement by Dr. Anderson. Let's walk him through the steps for accessing and endorsing proposed orders through the message center.
3.3	Access the Message Center	Proposed orders can be found in your message center inbox. To access your message center, at the top of the tool bar, click the "Message Center inbox".

3.4	Plans for Review Plans for Review	<p>The proposed orders are located under the orders section. They are not actionable until they receive a provider’s signature.</p> <p>To see all proposed regimen orders, click on “Plans for Review”</p>
3.5	Select the Proposed Order for Review	<p>Now that all proposed regimens are opened, to review the proposed orders, double click the line item.</p>
3.6	Accept or Reject the Proposed Order	<p>The selected regimen will open for review. It is imperative to review all of the proposed orders prior to taking any action. Once you have reviewed the orders, you can choose one of the following options:</p> <ul style="list-style-type: none"> Reject All and Next Accept with Modify Accept All and Next
3.7	Reject All and Next rejects the orders.	<p>Reject All and Next allows you to reject the orders, but prompts to give a reason for doing so.</p>
3.8	Reject Review	<p>To view the list of Reject Reasons, click the Drop down.</p>

3.9	Reject Reasons	Select the Reject Reason "MD Request".
3.10	Select Reject Reason	With the Reject Reason now selected, click okay.
3.11	Accept with Modify	Accept with Modify allows you to accept the orders, but prompts the Orders window allowing you to select, unselect, and modify orders.
3.12	Accept All and Next	<p>BASE LAYER To accept the orders as proposed, click Accept all and Next.</p> <p>DOSING LAYER The dosing calculator may open and should be addressed.</p> <p>Otherwise, the window will simply return to the inbox.</p>
3.13	Discontinue the Regimen	<p>To discontinue the regimen, you must first go back into the menu order and right-click on the name of the regimen from the view pane.</p> <p>Right click on the GU ONCIP IP Bleomycin etoposide regimen order in the view pane.</p>
3.14	Discontinue the Regimen	Now single click on Discontinue

3.15	Discontinue the Regimen	The discontinue window will display. Click on the drop down.
3.16	Discontinue the Regimen	You are now able to issue your reason for discontinuing the regimen. Click MD Request.
3.17	Discontinue the Regimen	When complete, click "OK."
3.18	Skip a Regimen Day	To skip a regimen day, start by selecting the treatment days in the sub-menu.
3.19	Skip Day 5	When the treatment window prompts, you will select the preferred regimen day you wish to bypass. In this instance, we will skip day 5. Click the "drop down" to the right of Activate Action for day 5.
3.20	Skip Reason	Select "Skip."
3.21	Skip Reason	The Skip Reason window is now prompted. click the drop down.
3.22	Skip Reason	The Skip Reasons are now listed. In this case, we will select MD Request.
3.24	Skip Reason	With the skip reason now selected, Click OK.

	Orders for Signature and Sign	After modifying the orders, click Orders for Signature.
	Sign	To complete the order, click Sign.
	Refresh	Refresh your screen.
3.25	Change Regimen Day and Time	Alternatively, the provider may change the treatment date and time. In this case, we will choose Day 3. Click the drop down to the right of Activate Action for day 3.
3.26	Change Regimen Day and Time	Select "Change Start Date/Time."
3.27	Day and Time Demonstration	The change start date/time is prompted allowing you to reschedule the cycle date. Watch as I select a new date for Day 3.
3.28	Adjust All	Now we will need to adjust the remaining cycle time frames. Click "Adjust All."
3.29	Reschedule Reason	Last, we must select the reason why the cycle date and time will be adjusted. Click the drop down.
_3.30	Reschedule Reason	The Reschedule Reasons are now listed. Select "MD Request."
3.31	Reschedule Reason	With the Reschedule Reason now selected. Click "OK"
3.29 BT	Section 3 Completion	This completes the section on Proposed Orders.

3.30 BT	eLearning Congratulations/ Objectives Review	<p>Congratulations!</p> <p>You have completed the Inpatient Chemotherapy Regimen E-Learning. In this course you have learned how to demonstrate adding a diagnosis from the Add Orders window within PowerChart. Select a chemotherapy regimen from the appropriate folder within the Add Orders window. Explain the appropriate timing for Starting and/or Skipping a cycle within the regimen and endorse proposed chemotherapy regimen orders from the message center inbox.</p>

Landing Pad

Slide #	Slide Title	Narration Script
NM	Navigation Menu	Let's explore three steps of conducting an Inpatient Regimen in Power Chart. Click on the Selecting a Regimen button to begin.

Abbreviation and Acronym Key Highlight= HL, User Click Box= UCB Drop Down= DD Message Center = MC Background=BG Back Pocket Knowledge= BPK Critical Information = CI PowerChart= PC	

n the ADD+ Orders window within PowerChart

imen

gimen orders from their message center inbox

Screen Display	Review Comments(Katie)
MD Anderson BG Play Button White Trans Overlay Baptist Logo	
Navigation Guide Title Volume Caption Closed Captioning Caption Seekbar Caption Next Caption	
Navigation Guide Title Play/Pause Caption Replay Caption Previous Caption	
Navigation Guide Title Menu Resource Caption Course Navigation Guide Caption	

<p>Learning Objectives (Title)</p> <p>Ordering and Approval of Inpatient Chemotherapy Orders (Heading)</p> <p>(Text)</p> <ul style="list-style-type: none"> • Demonstrate adding a diagnosis from the Add Orders window within PowerChart • Select a chemotherapy regimen from the appropriate folder within the Add Orders window • Explain the appropriate timing for Starting and/or Skipping a cycle within the regimen • Endorse proposed chemotherapy regimen orders from the message center inbox 	
<p>(Demo and interaction icons)</p>	
<p>Dr. Anderson is seeing his patient today in his office. Given the patient's condition, he decides to direct admit to the Baptist Jax campus. He wants to place orders for a chemotherapy regimen, but is not sure how to enter it into the Baptist EMR system. Let us walk him through the steps to complete this task.</p>	

Screen Display	Review Comments
Inpatient Chemotherapy Regimen (Title) Selecting Button Ordering Button Proposed Orders Physician consulting patient playing in BG	
Screen Display (Background Image)	Review Comments
Selecting Chemotherapy Regimens (Title) An overview of selecting Chemo Regimens and Adding the Associated Diagnosis (heading)	
Back-Pocket Knowledge (heading) Selected regimens must have an appropriate diagnosis associated with them at time of ordering. This is a safety measure to ensure the patient receives the appropriate regimen	
Oncology PC	

Diagnosis & Problems/Order Catalog	
Diag & Prob w/ Order Catalog	
Diag & Prob w/ bladder cancer DD List	<p>I added a masking for Bladder Cancer in the Search field area. As of now the screenshot only shows "bladder can". I was not sure if we want it to show "Bladder Cancer" to align more with the last text entry slide. Is this really needed? I am thinking possibly not since the physicians probably already know that they do not have to type a full word or sentence to conduct the search. If this is incorrect, in order to do this it will require additional masking and time so the masked "bladder cancer" does not punch out when the slide Dim/HL. So I left it as is for now and hid the BC masking to wait until make a final decision.</p>

<p>Diag & Prob w/ Bladder Cancer</p>	<p>I think we talked about this when we first reviewed this. (The time when your script crashed and did not save) This slide has a lot of narration with out the user doing anything. To keep their attention-- >Thinking maybe we should turn the reminder about adding diagnosis as primary, secondar and so on might be a good visual Back Pocket reminder. I can add it if you agree. What do you think?</p>
<p>Diag & Prob w/ Regimen Folder</p>	
<p>Diag & Prob w/ Regimen List</p>	<p>I had to take the Back Pocket Layer out and make a new slide because the Text Failure Layer kept appearing very briefly in between layers even when you clicked the UCB correctly ONLY after it was published. Before adding another slide I tried deleting all the triggers and putting them back it and republished, but it kept doing it. It was easier just to add another slide then try and figure out this glitch in Storylie.</p>
<p>Diag & Prob w/ Regimen List Back pocket knowledge stating "As a reminder, Regimens can be easily identified by the following icon located to the left side of the regimen's name."</p>	

Diag & Prob w/ Regimen List POPUP Regimen Attribute	
Diag & Prob w/ Regimen List POPUP Regimen Attribute	
Diag & Prob w/ Regimen List POPUP Regimen Attribute	
Diag & Prob w/ Regimen List POPUP Regimen Attribute	
Diag & Prob w/ Regimen List POPUP Regimen Attribute	
Diag & Prob w/ Regimen List POPUP Regimen Attribute	
Diag & Prob w/ Regimen List This completes the section for selecting Chemo Regimens Return Button Blue Trans Overlay Image of Physician with Meds	

Screen Display	Review Comments
Inpatient Chemotherapy Regimen (Title) Selecting Button Ordering Button Proposed Orders Physician consulting patient playing in BG	
Screen Display	Review Comments
Ordering Chemotherapy Regimens (Title) An overview of ordering chemo regimens and starting/skipping cycles (Heading) Blue Trans Overlay White Overlay Image of Physician with Stethoscope	
Now that Dr. Anderson has selected his desired regimen order, he wants to skip the pre-admission testing and begin the pre-treatment phase. Let's assist him in completing this task.	

Regimen Order BG Pending Status, Regimen Cycles	
Regimen Order BG Skip Window	Do we want it to say "to display the list of reasons, click the drop down to display the list of reasons." Because it seems redundant saying it twice or is repeated to emphasize this?
Regimen Order BG Skip Window w/ DD of MD Request	
Regimen Order BG Skip Window w MD Request selected	
Regimen Regimen Order BG w/ PreTreatment cycle	

Regimen Regimen Order BG w/ Add Plan Window	Should "Today and Now" be capitalized?
Regimen Orders w/ Related Results	
Regimen Orders w/ Phase Modifications Access Central Line (Not checked)	
Regimen Orders w/ Phase Modifications Access Central Line (Checked with blue ball with the white X).	

<p>Regimen Orders w/ Phase Modifications Access Central Line (Checked with blue ball with the white X and Modify</p>	
<p>Regimen Orders w/ Acces Central Line and Details Window.</p>	
<p>Regimen Orders w/ Acces Central Line and Details Window. w/ implanted Device_Single Port Highlighted Blue</p>	
<p>Regimen Orders w/ Phase Modifications</p>	
<p>Regimen Orders w/ GEN Allergic Reaction/Desentization Blue Circle w/ white x Hold Medication</p>	
<p>Regimen Orders w/ GEN Allergic Reaction/Desentization Blue Circle w/ white x Hold Medication Modify pop up</p>	
<p>Regimen Orders w/ Hold Medication Details Window Text Entry Call Out "Type in Chemotherapy"</p>	

Regimen Orders w/ Hold Medication Details Window Chemotherapy entered	
Regimen Orders w/ Hold Medication Details Window Hold Next Dose HL Blue	
Regimen Orders w/ Hold Medication Details Window Hold Next Dose and Other HL Blue	
Regimen Orders w/ Phase Modifications (scrolled down)	We are not able to actually show the "scrolling down" of the screen, Andre suggested I put in the phrasing "For the purpose of this training" followed by description of action already completed.
Regimen Orders for Signature	
Regimen Orders w/ Missing Allergy Information (POPUP)	
Regimen Orders w/ HT/WT/Allergy screen	
Regimen Orders w/ HT/WT/Allergy screen	
Regimen Orders w/ Allergies	

Regimen Orders w/ Allergies	
Regimen Orders w/ HT/WT Results	
Regimen Orders w/ Missing Allergy Information (POPUP)	
Regimen Orders w/	
Oncology Regimen Order BG	
This completes the section for Ordering Chemo Regimens Return To Menu BUTTON to return to Navigation Menu Pharmacist video reviewing and sending orders Message Icon Dr Anderson Image receiving message Icon	

Screen Display	Review Comments
Inpatient Chemotherapy Regimen (Title) Selecting Button Ordering Button Proposed Orders Physician consulting patient playing in BG	
Screen Display	Review Comments
An overview of endorsing the proposed order regimen. Blue Trans Overlay White Overlay Image of Physician with Stethoscope	
Now that the pharmacist has reviewed and started the treatment cycle, a proposed order is pending endorsement by Dr. Anderson. Let's walk him through the steps for accessing and endorsing proposed orders through the message center.	
Oncology Summary BG	

Message Center w/ Plans for Review	
Message Center w/ Plans for Review with PT Name	
Message Center w/ Show Plans for Review Critical Information "It is imperative to review all of the proposed orders prior to taking any action."	I had to move the critical information box up on the screen because I realized this message directs the user to review the orders and it was covering the actual orders on the screen. I moved it up next to the the message center because that is where the user's eye would be from the previous screen.
Message Center w/ Show Phased for Review	
Message Center w/MD Request DD	

Message Center w/MD Request DD List	
Message Center w/MD Request Selected	
Message Center w/ Show Phased for Review	
BASE LAYER Message Center w/ Show Phased for Review DOSING LAYER Message Center w/ Dosing calculator Image overlay	
Menu Orders BG w/ View and GU ONCIP Blem	
Menu Orders BG/ View Regiments w/ Discontinue (POPUP)	

Menu Orders BG w/ Discontinue Reason DD	
Menu Orders BG w/ Discontinue Reasons Listed	
Menu Orders BG w/ MD Request Selected and OK	
Menu Orders BG w/ View and GU OCIP Belmo	
Menu Orders BG w/ Treatment Day 5	
Menu Orders BG w/ Skip (POPUP)	
Menu Orders BG w/ Skip Reason DD	
Menu Orders BG w/ Skip Reason List	
Menu Orders BG w/MD Request and OK	

Menu Orders BG	
Menu Orders BG	
Menu Orders BG	
Menu Orders BG w/ Day 3	
Menu Orders BG w/ Day 3 and Day and Time (POPUP)	
Menu Orders BG w/ Change Start Date/Time	
Menu Orders BG w/ Change Start Date/Time	
Menu Orders BG w/ Change Start Date/Time	
Menu Orders BG w/ Change Start Date/Time	
Continue Button Blue Trans Overlay Image of Physician with Meds	

	eLearning Interaction	
Review Follow Up (Marinda)	Slide Action	User Action

	Slide Interaction	

Review Follow Up	Slide Action	User Action
		User Clicks Selecting Order Button
	Scripter Input	
Review Follow Up	Slide Action	User Action
	Oncology_Dimmer Orders in Menu_HL +Add_Call Out	Click + Add UCB

	Oncology_Dimmer Diag & Prob_HL Order Catalog_HL Diagnosis Dimmer 2 Diagnosis HL	View Text Entry Demo
	Oncology_Dimmer Text Entry in SNOMED CT Box Bladder Cancer Entered	
	Diag & Prob_Dimmer DD Options_HL Diag & Prob_Dimmer Bladder_Callout	Bladder_UCB

	<p>Oncology_Dimmer Diagnosis_Highlight (Blue) Check_Highlight</p> <p>1_Dimmer 2 1_Highlight</p>	
	<p>Diag & Prob w/ Regimen Folder_Dimmer Regimen Folders List_HL GU Onc folder_Call Out</p>	<p>GU Onc folder_UCB</p>
	<p>Diag & Prob w/ Regimen List_Dimmer Regimen Folders List_HL GU Onc Blemomycin_Call Out</p> <p>Diag & Prob w/ Regimen List_Dimmer Regimen List_HL GU OncIP Bleomycin Etoposide Cisplatin regimen_Call Out</p>	<p>GU Onc Blemomycin_UCB</p>
	<p>BP Message Appears reminding user Regimens can be easily identified by the following icon located to the left side of the regimen's name</p>	<p>User clicks Continue in BP</p>

	<p>Diag & Prob w/ Regimen List_Dimmer Regimens Attribute Box_HL</p> <p>Intent of Therapy_HL Intent of Therapy DD_Call Out</p>	<p>Intent of Therapy DD_UCB</p>
	<p>Diag & Prob w/ Regimen List_Dimmer Line of Therapy & Neo-Adjuvant, Adjuvant, Curative, and Advance/Palliative_HL Neo-Adjuvant_Call Out</p>	<p>Neo-Adjuvant_UCB</p>
	<p>Diag & Prob w/ Regimen List_Dimmer Line of Therapy DD. _HL DD_Call Out</p>	<p>DD_UCB</p>
	<p>Diag & Prob w/ Regimen List_Dimmer Line of Therapy & First, Second, Third, Fourth, Greater than or equal to Fifth. _HL First_Call Out</p>	<p>First_UCB</p>
	<p>Diag & Prob w/ Regimen List_Dimmer Select Treatment Start_HL OK_Call Out</p>	<p>OK_UCB</p>
	<p>Diag & Prob w/ Regimen Folder_Dimmer Done_Call Out</p>	<p>Done_UCB</p>
		<p>User Clicks Return to Menu BUTTON</p>

	Scripter Input	
Review Follow Up	Slide Action	User Action
		User Clicks Selecting Proposed Orders Button
	Scripter Input	
Review Follow Up	Slide Action	User Action

	Regimen Order_Dimmer View Pane_HL Regimen Cycles on the right_HL Skip_Call Out	Skip_UCB
did all my script not cross over? All i saw was "click." added back what it was supposed to say.	Regimen Order_Dimmer Skip window_HL DD__Call Out	DD_UCB
	Regimen Order_Dimmer MD Request_HL MD Request_Call Out	MD Request_UCB
	Regimen Order_Dimmer Okay_HL OK_Call Out	OK_UCB
	Regimen Order_Dimmer Regimen Regimen Order BG w/ PreTreatment cycle_HL Start_Call Out	Start_UCB

	<p>Regimen Order_Dimmer Add Plan Window_HL OK_Call Out</p>	<p>OK_UCB</p>
	<p>Regimen Orders w/ Related Results_Dimmer Related Results in view pane_HL</p>	<p>User Clicks Next</p>
	<p>Regimen Orders w/ Related Results_Dimmer Orders on the Right_HL Access Central Lines_HL Check box_Call Out</p>	<p>Check box_UCB</p>
	<p>Regimen Orders w/ Related Results_Dimmer Blue Ball_HL Blue Ball_Call Out</p>	<p>Blue Ball_UCB (Right Click)</p>

	Regimen Orders w/ Related Results_Dimmer Modify_HL Modify_Call Out	Modify_UCB
	Regimen Orders w/ Acces Central Line and Details Window_Dimmer Order Details_HL Detail Values Box_HL Single Port_Call Out	Single Port_UCB
	Regimen Orders w/ Acces Central Line and Details Window_Dimmer 2 Details Window_HL Detials DD Chevron_Call Out	Detials DD Chevron_UCB
	Regimen Orders w/ Phase Modifications_Dimmer Gen Allergic Line_HL Gen Allergic_Call Out	Gen Allergic_UCB
	Regimen Orders w/ GEN Allergic Reaction/Desentization_Dimmer Blue Circle_Call Out	Blue Circle_UCB (Right Click)
	Regimen Orders w/ GEN Allergic Reaction/Desentization_Dimmer Modify_Call Out	Modify_UCB
	Regimen Orders w/ Hold Medication Details Window_Dimmer Detail Values_HL Text Animation Box	User types in Chemotherapy

	Regimen Orders w/ Hold Medication Details Window_Dimmer Order Details_HL Hold Next Dose Detail_Call Out	Hold Next Dose Detail_UCB
	Regimen Orders w/ Hold Medication Details Window_D Other_Call Out	Other_UCB
	Regimen Orders w/ Hold Medication Details Window_D Detail Window_HL Drop Down Arrow_Call Out	Drop Down Arrow_UCB
	Regimen Orders w/ Phase Modifications_Dimmer Lower end of Components_HL Return to Pre_Treatment_Call Out	Return to Pre_Treatment_UCB
	Regimen Orders w/ Related Results_Dimmer Orders For Signature_Call Out	Orders For Signature_UCB
	Regimen Orders w/ Related Results_Dimmer Allergy Form box_HL Allergy Form_Call Out	Allergy Form_UCB
	Regimen Orders w/ Related Results_Dimmer HT/WT/Allergy_HL Initial in the Height/Weight Results_Call Out	Initial in the Height/Weight Results_UCB
	Regimen Orders w/HT/WT/Allergy Chart_Dimmer Allergies Section of HT/WT/Allergy_HL "No Known Allergies"_Call Out	"No Known Allergies"__UCB

	Regimen Orders w/HT/WT/Allergy Chart_Dimmer Allergies Window_HL OK_Call Out	OK_UCB
	Regimen Orders w/HT/WT/Allergy Chart_Dimmer HT/WT Result_HL Green check mark_Call Out	Green Check_UCB
	Regimen Orders w/ Related Results_Dimmer "Allergy Form" box_HL OK_Call Out	OK_UCB
	Regimen Orders_Dimmer Sign_Call Out	Sign_UCB
	Orders_BG_Dimmer Refresh Button_Call Out	Refresh Button_UCB
	Scripter Input	

Review Follow Up		
	Slide Action	User Action
		User Clicks Selecting Order Button
	Scripter Input	
Review Follow Up		
	Slide Action	User Action
	Oncology Summary BG_Dimmer Message Center (MC)_HL MC_Call Out	MC_UCB


	MC BG_Dimmer Inbox Items_HL Plans for Review_Call Out	Plans for Review_UCB
	MC BG_Dimmer Plans for Review window with PT Name & Order_HL PT Name & Order_Call Out	PT Name & Order_UCB
	Message Center w/ Show Plans for Review_Dimmer Highlight proposed orders w/ below Reject all and Next, Accept with Modify, Accept All and Next_HL Critical Information w/ Continue Button	Use Clicks Continue BUTTON
	Message Center w/ Show Plans for Review_Dimmer Reject All and Next_HL Mouse Click Reject All and Next Reject All and Next_Call Out Jump to next slide when TL end	Reject All and Next_UCB
	Base Layer Message Center_Dimmer Reject_HL DD_Call Out	DD_UCB


	Message Center_Dimmer Reasons List_HL MD Request_Call Out	MD Request_UCB
	Message Center w/ Show Plans for Review_Dimmer MD Request_HL MC_Dimmer Okay_Call Out	Okay_UCB
	Message Center w/ Show Plans for Review_Dimmer Accept and Modify_HL TL ends goes to next slide	
	BASE LAYER Message Center w/ Show Plans for Review_Dimmer Accept all and Next_HL DOSING LAYER Dosing Calculator_HL BPK @ dosing calculator	BASE LAYER Accept All and Next_UCB DOSING LAYER User clicks Continue Button on BPK group
	Order Menu_Dimmer View Pane_HL GU ONCIP Blem_Call Out	GU ONCIP Blem_UCB w/ RIGHT click
	Order Menu_Dimmer Discontinue_Call Out	Discontinue UCB


	Order Menu_Dimmer Discontinue Reason of Reason Box_HL Discontinue Reason DD_Call Out	Dis Reason DD_UCB
	Order Menu_Dimmer Discontinue List of Reasons_HL MD Request_Call Out	MD Request_UCB
	Order Menu_Dimmer Discontinue Reason w/ MD Request_HL OK_Call Out	OK_UCB
	Order Menu_Dimmer GU ONCIP Blemo_Call Out	GU ONCIP Blemo_UCB
	Order Menu_Dimmer Day 5_HL Drop Down_Call Out	Drop Down_UCB
	Order Menu_Dimmer Skip_call Out	Skip_UCB
	Order Menu_Dimmer Skip Box_HL DD_Call Out	DD_UCB
	Order Menu_Dimmer Skip Reasons_HL MD Request_Call Out	MD Request_UCB
	Order Menu_Dimmer Skip Box_HL OK_call Out	OK_UCB


	Menu Orders BG_Dimmer Orders for Signature_Call Out	Orders for Signature_UCB
	Menu Orders BG_Dimmer Sign_Call Out	Sign_UCB
	Menu Orders BG_Dimmer Refresh_Call Out	Refresh_UCB
	Order Menu_Dimmer Day 3 Box_HL Chevron_Call Out	Chevron_UCB
	Order Menu_Dimmer Change Start Date/Time_call Out	Change Start Date/Time_UCB
	Highlight "Adjust All" button	
	Order Menu_Dimmer Change start Box_HL Adjust All_Call Out	Adjust All_UCB
	Order Menu_Dimmer RR Box_HL DD_Call Out	DD_UCB
	Order Menu_Dimmer RR Box_HL MD Request_Call Out	MD Request_UCB
	Order Menu_Dimmer MD Request_HL OK_Call Out	OK_UCB
		User clicks Continue BUTTON

		<p>User clicks Return to Navigation BUTTON to readdress any prior content in the 3 sections OR they click End Course BUTTON to exit eLearning Lesson</p>
	<p>Scripter Input</p>	
<p>Review Follow Up</p>	<p>Slide Action</p>	<p>User Action</p>
		<p>User Clicks Selecting Order Button</p>










Review Comments		Review Follow Up	Objects (include any triggers)


Review Comments		Review Follow Up	Objects (include any triggers)


	Is a 2nd dimmer needed for the 1_HL		Text Input Entry

		User is going to right click the order to proceed with the next steps. I have applied the changes in the script.	

	Had to hide Details Window_HL because when it HL Details Values the Nontunelled Dialysis Catheter text becomes very blurried and looks like greek letters. HL the Order Details during the narrations works just fine.		











Developer Input				
States	Layers	Slide Trigger	Player Trigger	Variable

Developer Interaction

States	Layers	Slide Trigger	Player Trigger	Variable
Developer Input				
States	Layers	Slide Trigger	Player Trigger	Variable

Developer Input				
States	Layers	Slide Trigger	Player Trigger	Variable
Developer Input				
States	Layers	Slide Trigger	Player Trigger	Variable

Developer Input

States	Layers	Slide Trigger	Player Trigger	Variable
Developer Input				
States	Layers	Slide Trigger	Player Trigger	Variable

Developer Input				
States	Layers	Slide Trigger	Player Trigger	Variable

Other	Review Comments

Other	Review Comments
-------	-----------------

--	--

--	--



Other	Review Comments
-------	-----------------

--	--

--	--

--	--

Other	Review Comments
Other	Review Comments

Other		Review Comments	
Other		Review Comments	

Other	Review Comments
